



US010041866B2

(12) **United States Patent**
Lu et al.

(10) **Patent No.:** **US 10,041,866 B2**

(45) **Date of Patent:** **Aug. 7, 2018**

(54) **REPRODUCIBLE SAMPLE PREPARATION
METHOD FOR QUANTITATIVE STAIN
DETECTION**

(58) **Field of Classification Search**

CPC G01N 1/30; G01N 33/49

See application file for complete search history.

(71) Applicant: **UNIVERSITY OF SOUTH
CAROLINA**, Columbia, SC (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(72) Inventors: **Zhenyu Lu**, Columbia, SC (US);
Brianna Cassidy, Columbia, SC (US);
Katherine Witherspoon, Columbia, SC
(US); **Stephanie Dejong**, Ripon, CA
(US); **Raymond G. Belliveau, III**,
Columbia, SC (US); **Michael Myrick**,
Columbia, SC (US); **Stephen L.**
Morgan, Columbia, SC (US)

3,562,524	A	2/1971	Moore et al.
3,684,867	A	8/1972	Acker
3,783,284	A	1/1974	McCormack
4,201,914	A	5/1980	Perren
4,333,008	A	6/1982	Misek
5,179,422	A	1/1993	Peterson
5,247,185	A	9/1993	Herrera et al.
5,312,521	A	5/1994	Fraas et al.
5,504,332	A	4/1996	Richmond et al.
5,900,634	A	5/1999	Soloman
5,945,676	A	8/1999	Khalil et al.
5,946,088	A	8/1999	Aldridge
6,260,997	B1	7/2001	Claybourn et al.
6,370,327	B1	4/2002	Seguy et al.

(Continued)

(73) Assignee: **University of South Carolina**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 243 days.

OTHER PUBLICATIONS

(21) Appl. No.: **15/136,252**

(22) Filed: **Apr. 22, 2016**

Andrasko, J., "The estimation of the age of bloodstains by HPLC
analysis," *J. Forensic. Sci.*, (1997) 42 (4) pp. 601-607.

(65) **Prior Publication Data**

US 2016/0312401 A1 Oct. 27, 2016

(Continued)

Related U.S. Application Data

Primary Examiner — Cachet I Sellman

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.

(60) Provisional application No. 62/152,075, filed on Apr.
24, 2015.

(57) **ABSTRACT**

(51) **Int. Cl.**
G01N 1/30 (2006.01)
G01N 33/49 (2006.01)
B33Y 10/00 (2015.01)

A stain-barrier is described along with methods of its
application to a fabric. The stain barrier reduces variability
between samples of different dilution or fabric type so that
limits of stain detection can be assigned more accurately and
precisely and stain detection techniques can be transparently
compared.

(52) **U.S. Cl.**
CPC **G01N 1/30** (2013.01); **G01N 33/49**
(2013.01); **B33Y 10/00** (2014.12)

18 Claims, 2 Drawing Sheets

